





KUMATSUGEN®






GENERATING POWER





BR	MODEL	SLIKA	NAZIV	SPECIFIKACIJA	MPC
083610	KDC922		STARTER KIT 20V KUMATSUGEN 2 X 2.0Ah + CHARGER 2A	<ul style="list-style-type: none"> Voltage: 20V(Li-ion) Battery Capacity (Ah): 2 x 2.0 LED battery capacity indicator on battery pack Charger Input (V/Hz): 230-240 / 50 Charger output (A): 2.0 Charging indicator lights 	Redovna 115 Akcijska 99
083627	KDC944		STARTER KIT 20V KUMATSUGEN 2 X 4.0Ah + CHARGER 2A	<ul style="list-style-type: none"> Voltage: 20V(Li-ion) Battery Capacity (Ah): 2 x 4.0 LED battery capacity indicator on battery pack Charger Input (V/Hz): 230-240 / 50 Charger output (A): 2.0 Charging indicator lights 	Redovna 170 Akcijska 159
083634	KDC966		STARTER KIT 20V KUMATSUGEN 2 X 6.0Ah + CHARGER 4A	<ul style="list-style-type: none"> Voltage: 20V(Li-ion) Battery Capacity (Ah): 2 x 6.0 LED battery capacity indicator on battery pack Charger Input (V/Hz): 230-240 / 50 Charger output (A): 4.0 Charging indicator lights 	Redovna 269 Akcijska 249
081227	KDC100		CORDLESS IMPACT DRILL 20V, Li-Ion, 2 SPEED-35Nm, 0-400, 0-1500rpm, 1x1.5Ah, CHARGER	<ul style="list-style-type: none"> Voltage (V): 20 (Li-ion) Chuck (mm): 10/Keyless Metal No-load Speed (rpm): 0-400/0-1500 Torque settings: 18+3 Max.Torque(Nm): 35 Speeds: 2 Impact Rate(bpm): 0-6000/0-22500 Drilling capacity: 8/10/25 (concrete/metal/wood) Battery(Ah): 1x1.5 Weight without battery(SOLO)(kg): 1.04 Including: Battery 1.5Ah, charger, Electric brake, Belt clip, Case Package Weight(kg): 2.2 Package Dimensions(cm): 33.0x29.0x10.0 	Redovna 169 Akcijska 139





081234	KDC110		<p>CORLESS IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-50Nm,0-1450,0-1800rpm,2x2Ah,CHARGER,BMC</p>	<ul style="list-style-type: none"> • Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-360/1450,0-450/1800 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 50 • Speeds: 2 • Impact Rate(bpm): 0-5400/21600, 0-6750/27000 • Drilling capacity: 10/10/25 (concreate/metal/wood) • Battery(Ah): 2x2.0 • Weight without battery(SOLO)(kg): 1.04 • Including: 2 Batteries 2.0Ah, charger, Belt clip, Case • Package Weight(kg): 2.2 • Package Dimensions(cm): 37.0x27.0x10.0 	<p>Redovna 235</p> <p>Akcijnska 215</p>
081241	KDC115		<p>CORDLESS IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-65Nm,0-360/1500rpm,0-450/2000rpm,SOLO</p>	<ul style="list-style-type: none"> • Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-360/1500, 0-450/2000 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 65 • Speeds: 2 • Impact Rate(bpm): 0-5400/22500, 0-6750/30000 • Drilling capacity: 10/13/32 (concreate/metal/wood) • Adjustable impulse function for precise pre-drilling in all materials and unscrewing worn screws, • Weight without battery(SOLO)(kg): 1.15 • Including: Belt clip • Package Weight(kg): 1.54 • Package Dimensions(cm): 26.0x22.0x10.0 	<p>Redovna 150</p> <p>Akcijnska 119</p>
081258	KDC120		<p>CORDLESS COMPACT IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-85Nm,0-1500rpm,0-2000rpm,SOLO</p>	<ul style="list-style-type: none"> • Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-380/1600, 0-480/2000 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 85 • Speeds: 2 • Impact Rate(bpm): 0-5700/24000, 0-7200/3000 • Drilling capacity: 12/13/32 (concreate/metal/wood) • Adjustable impulse function for precise pre-drilling in all materials and unscrewing worn screws • Weight without battery(SOLO)(kg): 1.27 • Including: Belt clip • Package Weight(kg): 1.68 • Package Dimensions(cm): 26.0x22.5x9.5 	<p>Redovna 199</p> <p>Akcijnska 179</p>





081289	KDC135	 <p>KUMATSUGEN 20V BL COMPACT 240Nm SOLO</p>	<p>CORDLESS IMPACT DRIVER COMPACT BRUSHLESS, 20V, Li-Ion, 240Nm, 0-1100/0-2100/0-3100/0-3500rpm, SOLO</p>	<ul style="list-style-type: none"> • Voltage: 20V(Li-ion) • Chuck: 1/4" • No-load speed(rpm): 0-1100/2100/3100/3500 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 240 • Impact Rate(bpm): 0-1300/2700/3500/3800 • Weight without battery(SOLO)(kg): 1.06 • Including: Belt Clip • Package Weight(kg): 1.41 • Package Dimensions(cm): 24.0x19.5x9.5 	<p>Redovna 190</p> <p>Akcijaska 159</p>
081265	KDC125	 <p>KUMATSUGEN 20V BL COMPACT 1000Nm SOLO</p>	<p>CORDLESS IMPACT WRENCH COMPACT BRUSHLESS, 20V, Li-Ion, 1000Nm, 0-800/1200/1800/2200rpm, SOLO</p>	<ul style="list-style-type: none"> • Voltage (V): 20 (Li-ion) • Chuck: 1/2" • No-load speed(rpm): 0-800/1200/1800/2200 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 1000 • Impact Rate(bpm): 0-1200/1900/2700/2900 • Weight without battery(SOLO)(kg): 2.02 • Including: Belt Clip • Package Weight(kg): 2.58 • Package Dimensions(cm): 27.0x24.0x10.0 	<p>Redovna 299</p> <p>Akcijaska 269</p>
081272	KDC130	 <p>KUMATSUGEN 20V BL COMPACT 360Nm SOLO</p>	<p>CORDLESS IMPACT WRENCH COMPACT BRUSHLESS, 20V, Li-Ion, 360Nm, 0-1000/1500/2200/2700rpm, SOLO</p>	<ul style="list-style-type: none"> • Voltage (V): 20 (Li-ion) • Chuck: 1/2" • No-load speed(rpm): 0-1000/1500/2200/2700 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 360 • Impact Rate(bpm): 0-1200/1800/1600/3300 • Weight without battery(SOLO)(kg): 1.10 • Including: Belt Clip • Package Weight(kg): 1.60 • Package Dimensions(cm): 24.0x19.5x10.0 	<p>Redovna 180</p> <p>Akcijaska 149</p>
081296	KDC140	 <p>KUMATSUGEN 20V BL COMPACT 125mm SOLO</p>	<p>CORDLESS ANGLE GRINDER COMPACT, BRUSHLESS, VARIABLE SPEED, 20V, Li-Ion, 4000/6000/8500rpm, SOLO</p>	<ul style="list-style-type: none"> • Voltage: 20V(Li-ion) • No-load Speed(rpm): 0-4000/6000/8500 • Motor Brushless • Disc Diameter(mm): 125 • Thread: M14 • Keyless Guard Adjustment • Weight without battery(SOLO)(kg): 1.35 • Including: 1pc spanner wrench, 1 pc side handle • Package Weight(kg): 2.03 • Package Dimensions(cm): 35.0x17.5x10.0 	<p>Redovna 159</p> <p>Akcijaska 129</p>




080961	KDC520	 <p>KUMATSUGEN GENERATING POWER 20V GENIUS BL COMPACT SDS PLUS SOLO 40+ TOOLS</p>	<p>CORDLESS BRUSHLESS ROTARY HAMMER 20V SDS-PLUS BRUSHLESS 20V, 2.8J, 0-1150rpm, SOLO</p>	<ul style="list-style-type: none"> • Voltage: 20V (Li-ion) • No-load speed : 0-1150r/min, • Impact Joule : 3.5J • Impact Rate : 0-5100 Bpm • Chuck type :SDS-Plus • Function settings: 4 • Brushless Motor : Yes • Drilling capacity in concrete: 26mm • Drilling capacity in wood :30mm • Drilling capacity in iron plate:13mm • Weight without battery(SOLO)(kg): 2.6 • LED working light • Including : 8,10,12*150mm drill bit ,14*250mm pointed & flat chisel • Package Weight(kg): 5 • Package Dimensions(cm): 40.0x34.0x9.0 	<p>Redovna 250 Akcijska 219</p>
080985	KDC204	 <p>KUMATSUGEN GENERATING POWER 20V GENIUS BL 10m/s 1x 2.0Ah PLASTIC CASE 10</p>	<p>CORDLESS MINI CHAINSAW 20V, BRUSHLESS,BAR10cm,825gr,CHAIN N 1/4"1.1mm,37Links 11m/s, 1x2Ah Li-Ion,BMC</p>	<ul style="list-style-type: none"> • Voltage (V): 21 • Motor: BRUSHLESS • Blade Length:10cm • Chain speed: 10m/s • Battery (Ah): 1x2 • Chain size: 1/4" 1,1mm 28 • Machine (Kg): 0,815 • Chain Lubrication: NO • Includes:Extra chain,charger,tools,protection glasses • Package Weight (kg): 1,9 • Package Dimensions (cm): 40x10x15 	<p>Redovna 120 Akcijska 99</p>
080992	KDC206	 <p>KUMATSUGEN GENERATING POWER 20V GENIUS BL 10m/s 2x 2.0Ah PLASTIC CASE 15</p>	<p>CORDLESS MINI CHAINSAW 20V, BRUSHLESS, BAR 15cm, 1kg,CHAIN 1/4" 1,1mm, 37Links 10m/s, 2x2Ah Li-Ion</p>	<ul style="list-style-type: none"> • Voltage (V): 21V • Motor: BRUSHLESS • Blade Length cm: 15 • Chain Speed m/s: 10 • Battery (Ah): 2x2 • Chain-Guides/Links:1/4"x1,1mm,37 • Weight without battery(SOLO)(kg): 0,825 • Chain Lubrication: NO • Includes:Extra chain,charger,tools,protection glasses • Package Weight (kg):2,1 • Package Dimensions (cm): 40x10x15 	<p>Redovna 230 Akcijska 199</p>
081012	KDC232	 <p>KUMATSUGEN GENERATING POWER 20V GENIUS BL 0-22/32mm 2x 2.0Ah PLASTIC CASE</p>	<p>CORDLESS PRUNING SHEARS 20V, BRUSHLESS,PROGRESSIVE CUT,ANTI-CUTTING FUNCTION,0- 22/32mm,1kg,,2x2Ah</p>	<ul style="list-style-type: none"> • Voltage (V): 20 • Motor: BRUSHLESS • Cutting diameter (2 positions): 0-22/32mm • Progressive cutting • Anti-cutting protection • Display: HD Digital • Blade: Sk5 • Battery (Ah): 2x2 • Machine weight (without battery)(Kg): 0.77 • Includes: Charger, batteries, tools. • Package weight (kg): 2.41 • Package dimensions (cm): 10.5x27.0x36.5 	<p>Redovna 420 Akcijska 379</p>




081036	KDC240	 <p>KUMATSUGEN GENERATING POWER</p> <p>20V GENIUS BL BRUSHLESS 0-22/40mm 2x 2.0Ah PLASTIC CASE</p> <p>40+ TOOLS</p>	<p>CORDLESS PRUNING SHEARS 20V, BRUSHLESS, PROGRESSIVE CUT, ANTI-CUTTING FUNCTION, CUT 0-22/40mm, 1kg, 2x2Ah</p>	<ul style="list-style-type: none"> • Voltage (V): 20 • Motor: BRUSHLESS • Cutting diameter (2 positions): 0-22/40mm • Progressive cutting • Anti-cutting protection • Display: HD Digital • Blade: Sk5 • Battery (Ah): 2x2 • Machine weight (without battery)(Kg): 0.1 • Includes: Charger, batteries, tools. • Package weight (kg): 2.54 • Package dimensions (cm): 10.5x27.0x36.5 	<p>Redovna 445</p> <p>Akcijnska 419</p>
080978	KDC201	 <p>KUMATSUGEN GENERATING POWER</p> <p>20V GENIUS SOLO</p> <p>1,4-2,1m</p> <p>40+ TOOLS</p>	<p>TELESCOPIC EXTENSION ROD 1,2-1.9m FOR KDC245/KDC240/KDC212/KDC232/KDC204/KDC206/KDC240</p>	<ul style="list-style-type: none"> • Length m: 1,2-1,9 • Weight (kg): 1 • Suitable for: KDC245/KDC240/KDC232/KDC204/KDC206/KDC240 • Package Weight (kg): 1,6 • Package Dimensions (mm): 131x13x19 	<p>Redovna 165</p> <p>Akcijnska 135</p>
081067	KDC214	 <p>KUMATSUGEN GENERATING POWER</p>	<p>CHAIN 1/4" (.043") 1,1mm 37Links (KDC206)</p>	<ul style="list-style-type: none"> • Type: 1/4"-1,1mm 37Links 	<p>Redovna 18</p>
081074	KDC215	 <p>KUMATSUGEN GENERATING POWER</p>	<p>CHAIN 1/4" (.043") 1,1mm 28Links (KDC204)</p>	<ul style="list-style-type: none"> • Type: 1/4"-1,1mm 28Links 	<p>Redovna 12</p>
081104	KDC218	 <p>KUMATSUGEN GENERATING POWER</p>	<p>BLADE FOR KDC232</p>	<ul style="list-style-type: none"> • Blade: Sk5 • Suitable for: KDC232 	<p>Redovna 30</p>




081111	KDC219		BLADE FOR KDC232	<ul style="list-style-type: none"> • Blade: Sk5 • Suitable for: KDC240 	Redovna 35
080923	KPH150		ROTARY HAMMER 1500W, SDS-PLUS, 5.5J, 5.1Kg, BMC CASE AND ACCESSORIES	<ul style="list-style-type: none"> • Power (W): 1500 • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 5.5 • Impact Rate (bpm): 0-4250 • Tool Holder: SDS-Plus • Drilling Ability: Steel 13 mm, Concrete 32 mm, Wood 42 mm • Lubrication: Grease • Weight (kg): 5.1 • Includes: <ul style="list-style-type: none"> 1x Auxiliary Handle 1x Point Chisel 14x250mm 1x Flat Chisel 14x250mm 3x Drill Bits 8/10/12x150mm 1 Pair of Carbon Brushes 1x Dust Cover 1x Tube of Grease <ul style="list-style-type: none"> • Package Weight (kg): 7.75 • Package Dimensions (cm): 37.0x11.5x33.0 	Redovna 249 Akcijska 219
080930	KPH200		ROTARY HAMMER 1600W, SDS-MAX, 10J, 7.3Kg, BMC CASE AND ACCESSORIES	<ul style="list-style-type: none"> • Power (W): 1600 • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 10 • Impact Rate (bpm): 0-3800 • Tool Holder: SDS-Max • Drilling Capacity: Concrete 42mm • Weight (kg): 7.3 • Includes: <ul style="list-style-type: none"> 1x Auxiliary Handle 1x Point Chisel 18x320mm 1x Flat Chisel 18x320mm 1 Pair of Carbon Brushes 1x Tube of Grease <ul style="list-style-type: none"> • Package Weight (kg): 11.3 • Package Dimensions (cm): 45.0x13.5x38.5 	Redovna 379 Akcijska 349
080947	KPH300		DEMOLITION HAMMER SDS-MAX 1300W 18J 5Kg	<ul style="list-style-type: none"> • Power 1300W • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 18 • Impact Rate (bpm): 3600 • Tool Holder: SDS-Max • Weight 6.5Kg <p>INCLUDES</p> <ul style="list-style-type: none"> • 1pc Auxiliary Handle • 1pc Point Chisel 18x320mm • 1pc Flat Chisel 18x320mm • 1pair Carbon Brushes • 1pc Spanner • 1pc Grease Tube <ul style="list-style-type: none"> • Package Weight (kg): 10.0 • Package Dimensions (cm): 43.0x12.0x32.0 	Redovna 340 Akcijska 299




080954	KPH700	 <p>KUMATSUGEN GENERATING POWER</p> <p>1700 60 METAL CASE</p>	DEMOLITION HAMMER 1700W, 60J,14,5Kg	<ul style="list-style-type: none"> • Power (Watt): 1700 • Voltage / Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 60 • Impact Rate (bpm): 1900 • Tool Holder: HEX 30mm • Lubrication: Oil • Weight (kg): 14.5 • Includes: • 1 pc30x410mm pointed chisel • 1 pc 30x410mm flat chisel • 1 pair of carbon brushes • 1x Tube of Oil • Metal Case • Package Weight (kg): 22.3 • Package Dimensions (cm): 73.0x18.0x37.0 	Redovna 520 Akcijska 459
082125	KAG140	 <p>KUMATSUGEN GENERATING POWER</p> <p>VARIABLE</p> <p>125 1400</p>	ANGLE GRINDER VARIABLE SPEED 1400W-125mm, 2800-10000rpm	<ul style="list-style-type: none"> • Power (W): 1400W • Voltage (V/hz) : 230/50 • No Load Speed (rpm): 2800-10000 • Disk Diameter (mm): 125 • Shaft: M14 • Power-off protection function • Weight (kg): 2.0 • Including: Auxiliary handle, Disc guard set • Package Weight (kg): 2.6 • Package Dimensions LxWxH (cm): 35.0x11.0x11.5 	Redovna 179 Akcijska 169
081555	KJS280	 <p>KUMATSUGEN GENERATING POWER</p> <p>VARIABLE</p> <p>80 650</p>	JIG SAW 650W, ADJUSTABLE 800-3000rpm, CUT 80mm	<ul style="list-style-type: none"> • Power (Watt): 650 • Voltage (V/Hz): 230 / 50 • No load speed (spm): 800 - 3000 • Angle Adjustment: 0-45 • Wood Cutting Capacity (mm): 80 • Oscillation function • Tool less blade change • Weight (kg): 3 • Includes: Lock-on switch, Dust pipe connector, Service tools • Package Weight (kg): 3.4 • Package Dimensions LxWxH (cm): 31.0x23.0x8.5 	Redovna 120 Akcijska 99
081166	KCP350	 <p>KUMATSUGEN GENERATING POWER</p> <p>50/75 600</p>	DUAL ACTION POLISHER 600W, 50mm/75mm, 2000-6800 rpm, PRE-START AND ACCESSORIES	<ul style="list-style-type: none"> • Power (Watt): 600 • Voltage(V/Hz): 230/50 • Pad Diameter(mm): 50/75 • Eccentricity (mm) : 7mm • No-load speed(rpm): 2000-6800 • Constant Speed & Sof Start • Ergonomically operating design with rubber grip • Weight (kg): 1.6 • Including: -1pc 75mm backing plate -1pc 50mm backing plate -1pc wrench -1pc 75mm foam pad -1pc 50mm foam pad -1set spare carbon brush • Package Weight(kg): 2.0 • Package Dimensions(cm): 32.5x11.5x8.0 	Redovna 210 Akcijska 179




081173	KCP500	 <p>KUMATSUGEN GENERATING POWER</p> <p>Ømm: 150 W: 1050 PLASTIC CASE</p>	<p>DUAL ACTION POLISHER 1050W, 150mm, 1400-4800 rpm, PRE-START, TOOL CASE W/ ACCESSORIES</p>	<ul style="list-style-type: none"> • Power (Watt): 1050 • Voltage/Frequency(V/Hz): 230/50 • Pad Diameter(mm):150 • No-load speed(rpm):1400-4800 • Eccentricity (mm): 21 • Constant Speed & Sof Start • Ergonomically operating design with rubber grip • Weight (kg): 2.5 • Including: - 1pcs polishing pad - 1pcs wool plate spanner - 1pc wrench • Package Weight(kg): 4 • Package Dimensions(cm): 45.5x14.8x24.2 	<p>Redovna 280</p> <p>Akcijaska 249</p>
080794	KDS175	 <p>KUMATSUGEN GENERATING POWER</p> <p>Ømm: 225 W: 750</p>	<p>DRYWALL SANDER WITH AUTO VACCUM SYSTEM AND DUST BAG 750W, 1000-1850rpm, 135-180cm</p>	<ul style="list-style-type: none"> • Power:750W • Voltage/Frequency (V/Hz): 240/50 • Variable speed :1000-1850(min) • Diameter of sanding paper:225mm • Diameter of pad:210mm • Adjustable Height (With extension bar): 135-180mm • Led light on the pad • Soft grip • Auto-vacuum system • Flexiabile Sanding head, adjust in degree 0-120 • Foldable: Easy to carrier • Big support handle *Change carbon brush easily • Weight (kg): 5,0 • Package Dimensions LxWxH (mm): 32,0x24,0x73,0 • Package Weight (kg): 6,8 	<p>Redovna 375</p> <p>Akcijaska 355</p>
081609	KSD285	 <p>KUMATSUGEN GENERATING POWER</p> <p>Ømm: 185 W: 1200</p>	<p>CIRCULAR SAW 1200W, Ø185mm, 4800rpm, LASER 24T SAW</p>	<ul style="list-style-type: none"> • Power (Watt): 1200 • Voltage (V): 230/50 • No-load speed (rpm): 4800 • Blade Size (mm): 185 • Max cutting capacity (mm): 65 - 90°, 41 - 45° • Weight (kg): 3.5 • Includes : 1pc 24T saw blade, Laser cutting guide, dust extraction system nozzle, 1pcheX key, brushes • Package Weight (kg): 4.95 • Package Dimensions LxWxH (cm): 32.0x23.5x24.5 	<p>Redovna 180</p> <p>Akcijaska 149</p>
080800	KEM114	 <p>KUMATSUGEN GENERATING POWER</p> <p>W: 1400 VARIABLE</p>	<p>ELECTRIC MIXER 1400W 2 SPEEDS, VARIABLE, SOFT START</p>	<ul style="list-style-type: none"> * Power:1400W * Voltage/Frequency:230V, 50Hz * No load speed:I:180-400(min),II:300-700(min) * Number of gears:2 * Tool fitting M14 * Soft Start+switch lock * Overload protection * Mixing paddle diameter:140mm * Suitable Materials: plaster, Cement/ Mortar Tile Adhesive, Renderr • Weight (kg): 5,5 • Package Dimensions LxWxH (mm): 40,0x32,0x44,0 • Package Weight (kg): 6,65 	<p>Redovna 210</p> <p>Akcijaska 195</p>




080817	KEM118		ELECTRIC MIXER 1800W, 2 SPEEDS	<ul style="list-style-type: none"> • Power:1800W • Voltage/Frequency:230V, 50Hz • No load speed:I:180-400(min),II:300-700(min) • Number of gears:2 • Tool fitting M14 • Soft Start+switch lock • Overload protection • Protective type/protective class:Double insulation/II • Mixing paddle diameter:140mm • Suitable Materials: Cement/ Mortar Tile Adhesive, Render • Weight (kg): 5,9 • Package Dimensions LxWxH (mm): 63,0x32,0x22,0 • Package Weight (kg): 7,30 	<p>Redovna 260</p> <p>Akcijnska 249</p>
081418	KLT160		LASER DISTANCE METER 60m	<ul style="list-style-type: none"> • Measuring Range: • 0.05-60m(0.16-196ft) • Accuracy: ±2mm(±0.079inch) • Measuring Unit: m,in,ft • Laser Type: Class II, 620~690nm, <1mW • Material: ABS &PET • Data Store/ Recall Function: 99 sets • Power Supply: 2 * 1.5V AAA Batteries • Product Dimensions (mm): 115x50x23 • Weight (kg): 0.08 • Package Weight (kg): 0.10 • Package Dimensions (L×W×H) (cm): 12.0x7.0x4.5 	<p>Redovna 119</p> <p>Akcijnska 109</p>
081425	KLT180		SPIRIT CROSS LEVEL LASER GREEN LINE 30m	<ul style="list-style-type: none"> • Laser beam: 1H1V • Qty of laser diode: Two • Color of beam: Green • Laser wavelength: 520nm • Laser power(H/V): 30mw • Accuracy(H/V): 3mm at 10m • Auto-compensation Range : 4° ± 1° • IP rating: IP54 • Laser class: Class 2 • Connector: 1/4" • Working temperature: -10~400C • Working range: 30m • Beam Emission Angle(H/V): 130° • Batteries: 4 x AA • Working time: 5 hours • Product Dimensions (mm): 90x85x55 • Weight (kg): 0.32 • Package Weight (kg): 0.48 • Package Dimensions (L×W×H) (cm): 12.0x7.0x4.5 	<p>Redovna 169</p>

081432	KLT200		3D SELF LEVELING LASER LEVEL, GREEN LASER LEVELER ,12 LINES ,30m	<ul style="list-style-type: none"> • Laser Class: Class 2 • Laser Wavelength: 505~550 nm • Leveling Accuracy: ±3 mm/10 m • Quantity of Laser Modules: 3 • Brightness Adjustment: Yes • Leveling/Compensation Range: 4° ±1° • Working Distance (Line): 30 m • Operating Time: 5~10 Hours • Features: With energy saving mode • Power Source: Type-C socket lithium battery • IP Rating: IP54 • Operating Temperature Range: -10°C – +50°C • Storage Temperature Range: -25°C – +70°C • Product Dimensions (mm): 99x96x73 • Weight (kg): 0.34 • Package Weight (kg): 1.2 • Package Dimensions (L×W×H) (cm): 22.0x13.0x20.0 	Redovna 435
080732	KEH220		ELECTRIC HOIST 200Kg, 12m	<ul style="list-style-type: none"> • Power (Watt): 480 • Voltage/Frequency (V/Hz): 230/50 • Lifting capacity with Single Wire (kg/m): 100/12 • Lifting capacity with Double Wire (kg/m): 200/6 • Lifting speed with single/double wire/s (m/min): 10/5 • Wire length (m): 12 • Wire diameter (mm): 4 • Emergency switch • Thermal prevention • Protection rating (IP): 54 • Weight (kg): 9.5 • Including: Support set • Package weight (kg): 10.5 • Package Dimensions LxWxH (cm): 38.0x14.0x22.0 	Redovna 290 Akcijska 269
080749	KEH260		ELECTRIC HOIST 600Kg, 18m	<ul style="list-style-type: none"> • Power (Watt): 950 • Voltage/Frequency (V/Hz): 230/50 • Lifting capacity with Single Wire (kg/m): 200/12 • Lifting capacity with Double Wire (kg/m): 400/6 • Lifting speed with single/double wire/s (m/min): 10/5 • Wire length (m): 12 • Wire diameter (mm): 4 • Emergency switch • Thermal prevention • Protection rating (IP): 54 • Weight (kg): 13 • Including: Support set • Package weight (kg): 14.5 • Package Dimensions LxWxH (cm): 43.0x17.0x24.0 	Redovna 399 Akcijska 379

080657	KAC024	 <p>KUMATSUGEN GENERATING POWER</p> <p>hp 2 Lt 24</p>	<p>AIR COMPRESSOR MONOBLOCK 2hp/24L 188L/min</p>	<ul style="list-style-type: none"> • Max Power (HP/kW):2/1,5 • Voltage/Frequency (V/Hz):230/50 • Tank Capacity (Lt):24 • Air Delivery (lt/min):188 • Pressure (bar/psi):8/116 • Noise Level dB(A): 85 • Packing Dimensions (cm): 58.0x58.0x28.0 • Weight (kg): 20 • Packaging Weight (kg): 21 	<p>Redovna 239</p> <p>Akcijaska 219</p>
080664	KAC050	 <p>KUMATSUGEN GENERATING POWER</p> <p>hp 2 Lt 50</p>	<p>AIR COMPRESSOR MONOBLOCK 2hp/50L 188L/min</p>	<ul style="list-style-type: none"> • Max Power (HP/kW): 2 / 1.5 • Voltage/Frequency (V/Hz): 230V / 50Hz • Tank Capacity (Lt): 50 • Air Flow(lt/min): 188 • Pressure (bar/psi): 8 / 115 • Noise Level dB(A): 85 • Package Dimensions (cm): 71.0x31.0x66.0 • Weight (kg): 25 • Packaging Weight (kg): 26 	<p>Redovna 339</p> <p>Akcijaska 315</p>
080671	KAC100	 <p>KUMATSUGEN GENERATING POWER</p> <p>hp 3 Lt 100</p>	<p>AIR COMPRESSOR DIRECT DRIVEN, TWIN CYLINDER, OIL LUBRICATED, 3hp/100L 336L/min</p>	<ul style="list-style-type: none"> • Max Power (HP/kW): 3/2.2 • Voltage/Frequency (V/Hz):230/50 • Tank Capacity (Lt): 100 • Air Flow(lt/min): 336 • Pressure (bar/psi): 8 / 115 • Noise Level dB(A): 85 • Packing Dimensions LxWxH (mm): 86.0x41.0x73.0 • Weight (kg): 52 • Packaging Weight (kg): 55 	<p>Redovna 749</p> <p>Akcijaska 699</p>
080831	KWM145	 <p>KUMATSUGEN GENERATING POWER</p> <p>INVERTER TECHNOLOGY</p> <p>A 140 45% kg 1,9</p>	<p>S-MINI INVERTER WELDER 140A/45%, DIGITAL SCREEN, INCLUDES MASK & ACCESSORIES</p>	<ul style="list-style-type: none"> • Output Current: 140A • Voltage/Frequency: 230V/50Hz • Rated Input Capacity (Kva): 4 • Rated Duty Cycle: 45% • Functions: Anti Stick, Arc Force And Hot Start • Digital Screen • Includes Accessories • Weight: 1,9Kg 	<p>Redovna 219</p> <p>Akcijaska 189</p>
081616	KVC140	 <p>KUMATSUGEN GENERATING POWER</p> <p>W 1400 Lt 30</p>	<p>WET & DRY VACUUM CLEANER 1400W, 30lt WITH POWER TOOL PLUG 2000W WITH SYNCHRONIZATION</p>	<ul style="list-style-type: none"> • Power (W): 1400 • Voltage / Frequency (V/Hz): 230 V / 50 Hz • Vacuum (kPa): 18 • Blower Function: Yes • Cord Length (m): 4.5 • Capacity (L): 30 • Power Tool Plug with Synchronization: 2000 W • Hose Diameter (mm): 32 • Noise Level (dB): 80 • Includes: 1x Metal Tube 1x 1.5 m Soft Hose 1x Crevice Nozzle 1x Long Square Brush 1x HEPA Filter 1x Sponge Filter 1x Dust Bag Package Weight (kg): 9.2 Package Dimensions (cm): 37.0x37.0x58.0 	<p>Redovna 257</p>

080688	KPW150	 <p>KUMATSUGEN GENERATING POWER</p> <p>W 2000 Lt 450 m 5</p>	HIGH PRESSURE WASHER 2000W, 150Bar, 450L/h	<ul style="list-style-type: none"> • Power (Watt) : 2000□ • Voltage/Frequency (V/Hz) : 230/50□ • Pressure max. (bar) : 150 • Flow max. (Lt/h) : 450□□ • Engine Type : Brushed□ • Hose Length (m) : 5□ • Water Temperature (?): ~40□ • Pump Type : Brassed • Head Pump : Aluminum □ • Austostop□ • Long handle and wheels□ • Cable (m) : 5□ • Weight (kg) : 8□ • Includes: 1x hose, 1x water inlet screw ,1x soap bottle , 1x Patio cleaner • Packaging Weight (kg) : 9.4□ • Packaging Dimensions (cm) : 39.0x34.0x45.0 	Redovna 320 Akcijska 299
081180	KPW180	 <p>KUMATSUGEN GENERATING POWER</p> <p>W 2400 Lt 480 m 5</p>	HIGH PRESSURE WASHER 2400W, 180BAR, 480L/h	<ul style="list-style-type: none"> • Power (Watt) : 2400□ • Voltage/Frequency (V/Hz) : 230/50□ • Pressure max. (bar) : 180 • Flow max. (Lt/h) : 480□□ • Engine Type : Brushed□ • Hose Length (m) : 5□ • Water Temperature (C): ~40□ • Pump Type : Brassed • Head Pump : Aluminum □ • Austostop□ • Long handle and wheels□ • Cable (m) : 5□ • Weight (kg) : 9.0 • Includes: 1x hose, 1x water inlet screw ,1x soap bottle , 1x Patio cleaner , 1x cleaning brush • Packaging Weight (kg) : 11.5 • Packaging Dimensions (cm) : 49.0x34.0x51.0 	Redovna 419 Akcijska 399
081654	KBC520	 <p>KUMATSUGEN GENERATING POWER</p> <p>52 2HP</p>	GASOLINE BRUSH CUTTER 52CC 2HP	<ul style="list-style-type: none"> • Engine Displacement (cc) / Type: 52 / Two-Stroke Air-cooled Engine • Max Power (Hp): 2.0 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.4 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 7.6 • Including: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank • Package Weight (kg): 9.23 • Package Dimensions (cm): 30.0x23.0x33.0 • Package Weight 2 (kg): 8.4 • Package Dimensions 2 (cm): 165.0x10.0x11.0 	Redovna 279 Akcijska 259

081739	KBC620	 <p>KUMATSUGEN GENERATING POWER</p>	<p>GASOLINE BRUSH CUTTER 62CC, 3HP</p>	<ul style="list-style-type: none"> • Engine Displacement (cc) / Type: 62 / Two-Stroke Air-cooled Engine • Max Power (Hp): 3.0 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.6 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 7.6 • Including: Double harness, 3T metal disc, aluminium trimmet head with 4 exits, Service tools, Fuel tank • Package Weight (kg): 5.6 • Package Dimensions (cm): 33.0x29.0x26.0 • Package Weight 2 (kg): 4.4 • Package Dimensions 2 (cm): 165.0x11.0x12.0 	<p>Redovna 370</p> <p>Akcijaska 349</p>
081753	KBC720	 <p>KUMATSUGEN GENERATING POWER</p>	<p>GASOLINE BRUSH CUTTER 72CC, 3,8HP, 28mm SHAFT</p>	<ul style="list-style-type: none"> • Engine Displacement (cc) / Type: 72 / Two-Stroke Air-cooled Engine • Max Power (Hp): 3.8 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.6 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 8.6 • Including: Reinforced double harness, 40T metal disc, aluminium trimmet head with 4 exits, Service tools, Fuel tank • Package Weight (kg): 12.5 • Package Dimensions (cm): 182.0x30.0x29.0 	<p>Redovna 420</p> <p>Akcijaska 399</p>
080824	KWC300	 <p>KUMATSUGEN GENERATING POWER</p>	<p>GARDEN STEEL WAGON CART 300Kg , L960xW520xH250</p>	<ul style="list-style-type: none"> • Load Capacity(Kg): 300 • Cart Dimension(mm) : 960x510x250 • Total Size(mm):1910x510x550 • Wheel Size:10"-3.50-4" • Weight(kg) : 15 • • Package Dimension(cm): 104x54x14 • • Package Wheight(Kg): 17,4 	<p>Redovna 315</p> <p>Akcijaska 299</p>

081357	KWP120	 <p>KUMATSUGEN GENERATING POWER</p> <p>W 900 m 11 SDS CLICK</p>	<p>DIRTY WATER SUBMERSIBLE PUMP 900W, 11m, 24000 L/H</p>	<ul style="list-style-type: none"> • Power (W): 900 • Voltage/Frequency (V/Hz): 230/50 • Maximum Flow Rate (Lt/h): 24.000 • Maximum Head (m): 11 • Maximum Pump Submersion (m): 7 • Minimum starting water level (mm) : 84 • Outlet (Pipe Diameter): G1-1/2" • Maximum Particle Size (mm): 38 • Water Temperature (°C): 35 • Cable Length (m): 10 • Foldable Handle • Pump Dimensions (cm): 17.0x16.0x36 • Package Dimensions (cm): 22.0x19.0x38.0 • Weight (kg): 7.1 • Package Weight (kg): 7.4 	<p>Redovna 210</p> <p>Akcijaska 189</p>
081371	KWP130	 <p>KUMATSUGEN GENERATING POWER</p> <p>W 750 m 10 SDS CLICK</p>	<p>DIRTY WATER SUBMERSIBLE PUMP , ADJUSTABLE HEIGHT FLOATER, WITH TIMER, 750W, 10m, 19000 L/H</p>	<ul style="list-style-type: none"> • Power (W): 750 • Voltage/Frequency (V/Hz): 230/50 • Maximum Flow Rate (Lt/h): 19.000 • Maximum Head (m): 10 • Maximum Pump Submersion (m): 7 • Minimum Starting Water Level (mm) : 10 • Outlet (Pipe Diameter): G1-1/2" • Maximum Particle Size (mm): 35 • Water Temperature (°C): 35 • Cable Length (m): 10 • Features: Timer • Pump Dimensions (cm): 21.0x21.0x32.5 • Package Dimensions (cm): 22.0.18.0x35.0 • Weight (kg): 6,75 • Package Weight (kg): 7.0a 	<p>Redovna 270</p> <p>Akcijaska 239</p>
003656	GB3000	 <p>KUMATSUGEN GENERATING POWER</p> <p>AVR</p> <p>208</p>	<p>GASOLINE GENERATOR 3.5 KVA, AVR, 6.5HP ENGINE</p>	<ul style="list-style-type: none"> •Displacement: 208cc / 7HP •Max Power(kVA):3.5 •Rated Power(kVA):3.3 •Engine Type: Four-stroke Air Cooled •Voltage:230 AC , DC 12V •Sockets:2x16A , 1x 12VDC •Fuel Tank(Lt):15 •Oil Capacity(Lt):0.6 •Noise Level(dB(A)): 68 •Dimensions(cm):59x43x45 •Weight(Kg):39 	<p>Redovna 780</p> <p>Akcijaska 749</p>