

KUMATSUGEN®

GENERATING POWER

BR	MODEL	SLIKA	NAZIV	SPECIFIKACIJA	MPC
081302	NOVI MODEL KDC102	 	BATTERY 20V, Li-Ion, 2.0Ah	- Voltage: 20V(Li-ion) - Capacity(Ah): 2.0 - LED battery capacity indicator on battery pack - Weight(kg): 0.41 - Package Weight(kg): 0.46 - Package Dimensions(cm): 13.0x8.0x6.0	Redovna 52 Akcijska 45
081340	NOVI MODEL KDC103	 	CHARGER 20V, Li-Ion, 4A	- Input: 230-240V~ 50Hz - Output(A): 2.0 - Charging indicator lights - Weight(kg): 0.44 - Package Weight(kg): 0.53 - Package Dimensions(cm): 17.5x12.0x8.0	Redovna 56 Akcijska 49
083610	NOVI MODEL KDC822	 	STARTER KIT 20V KUMATSUGEN 2 X 2.0Ah + PUNJAČ 4A	- Voltage: 20V(Li-ion) - Battery Capacity (Ah): 2 x 4.0 - LED battery capacity indicator on battery pack - Charger Input (V/Hz): 230-240 / 50 - Charger output (A): 4.0 - Charging indicator lights	Redovna 132 Akcijska 115
083627	NOVI MODEL KDC844	 	STARTER KIT 20V KUMATSUGEN 2 X 4.0Ah + CHARGER 4A	- Voltage: 20V(Li-ion) - Battery Capacity (Ah): 2 x 4.0 - LED battery capacity indicator on battery pack - Charger Input (V/Hz): 230-240 / 50 - Charger output (A): 4.0 - Charging indicator lights	Redovna 199 Akcijska 175

081227	KDC100		CORDLESS IMPACT DRILL 20V,Li-Ion,2 SPEED-35Nm,0-400,0-1500rpm,1x1.5Ah,CHARGER	• Voltage (V): 20 (Li-ion) • Chuck (mm): 10/Keyless Metal • No-load Speed (rpm): 0-400/0-1500 • Torque settings: 18+3 • Max.Torque(Nm): 35 • Speeds: 2 • Impact Rate(bpm): 0-6000/0-22500 • Drilling capacity: 8/10/25 (concreate/metal/wood) • Battery(Ah): 1x1.5 • Weight without battery(SOLO)(kg): 1.04 • Including: Battery 1.5Ah, charger, Electric brake, Belt clip, Case • Package Weight(kg): 2.2 • Package Dimensions(cm): 33.0x29.0x10.0	Redovna 169 Akcijnska 139
081234	KDC110		CORLESS IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-50Nm,0-1450,0-1800rpm,2x2Ah,CHARGER,BMC	• Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-360/1450,0-450/1800 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 50 • Speeds: 2 • Impact Rate(bpm): 0-5400/21600, 0-6750/27000 • Drilling capacity: 10/10/25 (concreate/metal/wood) • Battery(Ah): 2x2.0 • Weight without battery(SOLO)(kg): 1.04 • Including: 2 Batteries 2.0Ah, charger, Belt clip, Case • Package Weight(kg): 2.2 • Package Dimensions(cm): 37.0x27.0x10.0	Redovna 235 Akcijnska 215
081241	KDC115		CORDLESS IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-65Nm,0-360/1500rpm,0-450/2000rpm,SOLO	• Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-360/1500, 0-450/2000 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 65 • Speeds: 2 • Impact Rate(bpm): 0-5400/22500, 0-6750/30000 • Drilling capacity: 10/13/32 (concreate/metal/wood) • Adjustable impulse function for precise pre-drilling in all materials and unscrewing worn screws, • Weight without battery(SOLO)(kg): 1.15 • Including: Belt clip • Package Weight(kg): 1.54 • Package Dimensions(cm): 26.0x22.0x10.0	Redovna 150 Akcijnska 119

081258	KDC120		CORDLESS COMPACT IMPACT DRILL COMPACT BRUSHLESS 20V,Li-Ion,2 SPEED-85Nm,0-1500rpm,0-2000rpm,SOLO	• Voltage (V): 20 (Li-ion) • Chuck (mm): 13/Keyless Metal • No-load Speed (rpm): 0-380/1600, 0-480/2000 • Motor Brushless • Torque settings: 20+3 • Max.Torque(Nm): 85 • Speeds: 2 • Impact Rate(bpm): 0-5700/24000, 0-7200/3000 • Drilling capacity: 12/13/32 (concrete/metal/wood) • Adjustable impulse function for precise pre-drilling in all materials and unscrewing worn screws • Weight without battery(SOLO)(kg): 1.27 • Including: Belt clip • Package Weight(kg): 1.68 • Package Dimensions(cm): 26.0x22.5x9.5	Redovna 199 Akcijnska 179
081289	KDC135		CORDLESS IMPACT DRIVER COMPACT BRUSHLESS, 20V,Li-Ion,240Nm,0-1100/0-2100/0-3100/0-3500rpm,SOLO	• Voltage: 20V(Li-ion) • Chuck: 1/4" • No-load speed(rpm): 0-1100/2100/3100/3500 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 240 • Impact Rate(bpm): 0-1300/2700/3500/3800 • Weight without battery(SOLO)(kg): 1.06 • Including: Belt Clip • Package Weight(kg): 1.41 • Package Dimensions(cm): 24.0x19.5x9.5	Redovna 190 Akcijnska 159
081265	KDC125		CORDLESS IMPACT WRENCH COMPACT BRUSHLESS,20V, Li-Ion,1000Nm,0-800/1200/1800/2200rpm,SOLO	• Voltage (V): 20 (Li-ion) • Chuck: 1/2" • No-load speed(rpm): 0-800/1200/1800/2200 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 1000 • Impact Rate(bpm): 0-1200/1900/2700/2900 • Weight without battery(SOLO)(kg): 2.02 • Including: Belt Clip • Package Weight(kg): 2.58 • Package Dimensions(cm): 27.0x24.0x10.0	Redovna 299 Akcijnska 269
081272	KDC130		CORDLESS IMPACT WRENCH COMPACT BRUSHLESS,20V,Li-Ion,360Nm,0-1000/1500/2200/2700rpm,SOLO	• Voltage (V): 20 (Li-ion) • Chuck: 1/2" • No-load speed(rpm): 0-1000/1500/2200/2700 • Motor Brushless • Torque settings: 4 • Max.Torque(Nm): 360 • Impact Rate(bpm): 0-1200/1800/1600/3300 • Weight without battery(SOLO)(kg): 1.10 • Including: Belt Clip • Package Weight(kg): 1.60 • Package Dimensions(cm): 24.0x19.5x10.0	Redovna 180 Akcijnska 149

081296	KDC140		CORDLESS ANGLE GRINDER COMPACT, BRUSHLESS, VARIABLE SPEED, 20V, Li-Ion, 4000/6000/8500rpm, SOLO	• Voltage: 20V(Li-ion) • No-load Speed(rpm): 0-4000/6000/8500 • Motor Brushless • Disc Diameter(mm): 125 • Thread: M14 • Keyless Guard Adjustment • Weight without battery(SOLO)(kg): 1.35 • Including: 1pc spanner wrench, 1 pc side handle • Package Weight(kg): 2.03 • Package Dimensions(cm): 35.0x17.5x10.0	Redovna 159 Akcijka 129
084440	NOVI MODEL KDC138		CORDLESS ANGLE GRINDER 20V, BRUSHLESS, Li- Ion, Ø125mm, 10000rpm, SOLO	Angle grinder • Voltage: 20V (Li-ion) • No-load No Load Speed(rpm): 10000 • Motor Brushless: Yes • Disc Diameter(mm): 125 • Adjustable No Load Speed: No • Thread: M14 • Keyless Guard Adjustment: Yes • Weight without battery(SOLO)(kg): 1.4 • Including: 1 pc grinding disc Ø125mm, 1 pc two positions side handle, 1pc spanner wrench, Aluminium gear box with spindle lock • Package Weight(kg): 2.0	Redovna 149 Akcijka 115
084464	NOVI MODEL KDC518		CORDLESS BRUSHLESS ROTARY HAMMER 20V SDS-PLUS, 2.5J, 0- 1300rpm, BMC - SOLO	• Voltage: 20V (Li-ion) • No-load speed : 0-1300rpm • Impact Joule : 2,5J • Impact Rate : 4600bpm • Chuck type : SDS-Plus • Drilling capacity in concrete : 22mm • Drilling capacity in wood : 28mm • Drilling capacity in iron plate : 13mm • Brushless motor • Power display & LED Light • Included : 8,10,12*150mm drill bit ,14*250mm pointed & flat chisel • BMC case	Redovna 228 Akcijka 189
080961	KDC520		CORDLESS BRUSHLESS ROTARY HAMMER 20V SDS-PLUS BRUSHLESS 20V, 2.8J, 0-1150rpm, SOLO	• Voltage: 20V (Li-ion) • No-load speed : 0-1150r/min, • Impact Joule : 3.5J • Impact Rate : 0-5100 Bpm • Chuck type :SDS-Plus • Function settings: 4 • Brushless Motor : Yes • Drilling capacity in concrete: 26mm • Drilling capacity in wood :30mm • Drilling capacity in iron plate:13mm • Weight without battery(SOLO)(kg): 2.6 • LED working light • Including : 8,10,12*150mm drill bit ,14*250mm pointed & flat chisel • Package Weight(kg): 5 • Package Dimensions(cm): 40.0x34.0x9.0	Redovna 250 Akcijka 219

084716	NOVI MODEL KDC142		WORK LIGHT Li-ion 20V, 5000/2000Lm, SOLO	• Voltage(V): 20 (Li-Ion) • Rated Power : 25W • Brightness : 1000/2500Lm • Color Temperature : 6500K • Searching Distance : 640m • Flash Mode	Redovna 105 Akcijska 85
080985	KDC204		CORDLESS MINI CHAINSAW 20V, BRUSHLESS, BAR10cm,825gr,CHAIN N 1/4"1.1mm,37Links 11m/s, 1x2Ah Li-Ion,BMC	• Voltage (V): 21 • Motor: BRUSHLESS • Blade Length:10cm • Chain speed: 10m/s • Battery (Ah): 1x2 • Chain size: 1/4" 1,1mm 28 • Machine (Kg): 0,815 • Chain Lubrication: NO • Includes:Extra chain,charger,tools,protection glasses • Package Weight (kg): 1,9 • Package Dimensions (cm): 40x10x15	Redovna 120 Akcijska 99
080992	KDC206		CORDLESS MINI CHAINSAW 20V, BRUSHLESS, BAR 15cm, 1kg,CHAIN 1/4" 1,1mm, 37Links 10m/s, 2x2Ah Li-Ion	• Voltage (V): 21V • Motor: BRUSHLESS • Blade Length cm: 15 • Chain Speed m/s: 10 • Battery (Ah): 2x2 • Chain-Guides/Links:1/4"x1,1mm,37 • Weight without battery(SOLO)(kg): 0,825 • Chain Lubrication: NO • Includes:Extra chain,charger,tools,protection glasses • Package Weight (kg):2,1 • Package Dimensions (cm): 40x10x15	Redovna 230 Akcijska 199
084488	NOVI MODEL KDC249		BRUSHLESS CHAINSAW 40V, Li- ion, BLADE 400mm-3/8" SOLO	• Voltage: 40V (21+21) (Li-Ion) • Brushless • Bar length (cm): 40cm (16") • Chain (mm) - Guides/Links: 3/8LP", 1.1mm - 57 • Chain speed (m/s): 15/25 • 2 Speed selection keypad • Chain tensioner • Chain lubrication • Battery(ah) : 2x 4.0 • Tool weight without battery (kg): 3.8 • Includes: 2 Batteries , 4A Dual fast-charger , Bar and chain • Package Weight (kg): 7.1	Redovna 320 Akcijska 269
081012	KDC232		CORDLESS PRUNING SHEARS 20V, BRUSHLESS,PROGRESSIVE CUT,ANTI-CUTTING FUNCTION,0- 22/32mm,1kg,,2x2Ah	• Voltage (V): 20 • Motor: BRUSHLESS • Cutting diameter (2 positions): 0-22/32mm • Progressive cutting • Anti-cutting protection • Display: HD Digital • Blade: Sk5 • Battery (Ah): 2x2 • Machine weight (without battery)(Kg): 0.77 • Includes: Charger, batteries, tools. • Package weight (kg): 2.41 • Package dimensions (cm): 10.5x27.0x36.5	Redovna 420 Akcijska 379

081036	KDC240		CORDLESS PRUNING SHEARS 20V, BRUSHLESS, PROGRESSIVE CUT, ANTI-CUTTING FUNCTION, CUT 0-22/40mm, 1kg, 2x2Ah	- Voltage (V): 20 - Motor: BRUSHLESS - Cutting diameter (2 positions): 0-22/40mm - Progressive cutting - Anti-cutting protection - Display: HD Digital - Blade: Sk5 - Battery (Ah): 2x2 - Machine weight (without battery)(Kg): 0.1 - Includes: Charger, batteries, tools. - Package weight (kg): 2.54 - Package dimensions (cm): 10.5x27.0x36.5	Redovna 445 Akcijnska 419
080978	KDC201		TELESCOPIC EXTENSION ROD 1,2-1.9m FOR KDC245/KDC240/KDC212/KDC232/KDC204/KDC206/KDC240	- Length m: 1,2-1,9 - Weight (kg): 1 - Suitable for: KDC245/KDC240/KDC232/KDC204/KDC206/KDC240 - Package Weight (kg): 1,6 - Package Dimensions (mm): 131x13x19	Redovna 165 Akcijnska 135
086604	NOVI MODEL KDC351X4		CORDLESS HEDGE TRIMMER 20V, Li-Ion, 46cm, ROTATING HANDLE 90°	- Voltage (V): 20 - No load speed (rpm): 1550 - Bar Length (cm): 46.0 - Cutting Length (cm): 44.0 - Cutting Capacity (mm): 16 - Brushless Motor: No - Rotating Handle: Yes - Net Weight (kg): 2.2 - Includes: Rotate Handle(0/±45/±90°), protector cover - Package Weight (kg): 3.8 - Package Dimensions (cm): 90.5x21.0x19.0	Redovna 249 Akcijnska 219
081067	KDC214		CHAIN 1/4" (.043") 1,1mm 37Links (KDC206)	Type: 1/4"-1,1mm 37Links	Redovna 18
081074	KDC215		CHAIN 1/4" (.043") 1,1mm 28Links (KDC204)	Type: 1/4"-1,1mm 28Links	Redovna 12

081104	KDC218		BLADE FOR KDC232	• Blade: Sk5 • Suitable for: KDC232	Redovna 30
081111	KDC219		BLADE FOR KDC232	• Blade: Sk5 • Suitable for: KDC240	Redovna 35
080923	KPH150		ROTARY HAMMER 1500W, SDS-PLUS, 5.5J, 5.1Kg, BMC CASE AND ACCESSORIES	• Power (W): 1500 • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 5.5 • Impact Rate (bpm): 0–4250 • Tool Holder: SDS-Plus • Drilling Ability: Steel 13 mm, Concrete 32 mm, Wood 42 mm • Lubrication: Grease • Weight (kg): 5.1 • Includes: 1x Auxiliary Handle 1x Point Chisel 14x250mm 1x Flat Chisel 14x250mm 3x Drill Bits 8/10/12x150mm 1 Pair of Carbon Brushes 1x Dust Cover 1x Tube of Grease • Package Weight (kg): 7.75 • Package Dimensions (cm): 37.0x11.5x33.0	Redovna 249 Akcijska 219
080930	KPH200		ROTARY HAMMER 1600W, SDS-MAX, 10J, 7.3Kg, BMC CASE AND ACCESSORIES	• Power (W): 1600 • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 10 • Impact Rate (bpm): 0–3800 • Tool Holder: SDS-Max • Drilling Capacity: Concrete 42mm • Weight (kg): 7.3 • Includes: 1x Auxiliary Handle 1x Point Chisel 18x320mm 1x Flat Chisel 18x320mm 1 Pair of Carbon Brushes 1x Tube of Grease • Package Weight (kg): 11.3 • Package Dimensions (cm): 45.0x13.5x38.5	Redovna 379 Akcijska 349

080947	KPH300	 KUMATSUGEN GENERATING POWER SDS MAX W 1300 18 PLASTIC CASE	DEMOLITION HAMMER SDS-MAX 1300W 18J 5Kg	• Power 1300W • Voltage/Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 18 • Impact Rate (bpm): 3600 • Tool Holder: SDS-Max • Weight 6.5Kg INCLUDES • 1pc Auxiliary Handle • 1pc Point Chisel 18x320mm • 1pc Flat Chisel 18x320mm • 1pair Carbon Brushes • 1pc Spanner • 1pc Grease Tube • Package Weight (kg): 10.0 • Package Dimensions (cm): 43.0x12.0x32.0	Redovna 340 Akcijnska 299
080954	KPH700	 KUMATSUGEN GENERATING POWER W 1700 60 METAL CASE	DEMOLITION HAMMER 1700W, 60J,14,5Kg	• Power (Watt): 1700 • Voltage / Frequency (V/Hz): 230/50 • Max Impact Energy (Joule): 60 • Impact Rate (bpm): 1900 • Tool Holder: HEX 30mm • Lubrication: Oil • Weight (kg): 14.5 Includes: • 1 pc30x410mm pointed chisel • 1 pc 30x410mm flat chisel • 1 pair of carbon brushes • 1x Tube of Oil • Metal Case • Package Weight (kg): 22.3 • Package Dimensions (cm): 73.0x18.0x37.0	Redovna 520 Akcijnska 459
082125	KAG140	 KUMATSUGEN GENERATING POWER VARIABLE Ømm 125 W 1400	ANGLE GRINDER VARIABLE SPEED 1400W-125mm, 2800-10000rpm	• Power (W): 1400W • Voltage (V/hz) : 230/50 • No Load Speed (rpm): 2800-10000 • Disk Diameter (mm): 125 • Shaft: M14 • Power-off protection function • Weight (kg): 2.0 • Including: Auxiliary handle, Disc guard set • Package Weight (kg): 2.6 • Package Dimensions LxWxH (cm): 35.0x11.0x11.5	Redovna 179 Akcijnska 169
081555	KJS280	 KUMATSUGEN GENERATING POWER VARIABLE mm 80 W 650	JIG SAW 650W, ADJUSTABLE 800-3000rpm, CUT 80mm	• Power (Watt): 650 • Voltage (V/Hz): 230 / 50 • No load speed (spm): 800 - 3000 • Angle Adjustment: 0-45 • Wood Cutting Capacity (mm): 80 • Oscillation function • Tool less blade change • Weight (kg): 3 • Includes: Lock-on switch, Dust pipe connector, Service tools • Package Weight (kg): 3.4 • Package Dimensions LxWxH (cm): 31.0x23.0x8.5	Redovna 120 Akcijnska 99

081166	KCP350	 KUMATSUGEN GENERATING POWER 50/75 W 600	DUAL ACTION POLISHER 600W, 50mm/75mm, 2000-6800 rpm, PRE-START AND ACCESSORIES	• Power (Watt): 600 • Voltage(V/Hz): 230/50 • Pad Diameter(mm): 50/75 • Eccentricity (mm) : 7mm • No-load speed(rpm): 2000-6800 • Constant Speed & Sof Start • Ergonomically operating design with rubber grip • Weight (kg): 1.6 • Including: -1pc 75mm backing plate -1pc 50mm backing plate -1pc wrench -1pc 75mm foam pad -1pc 50mm foam pad -1set spare carbon brush • Package Weight(kg): 2.0 • Package Dimensions(cm): 32.5x11.5x8.0	Redovna 210 Akcijnska 179
081173	KCP500	 KUMATSUGEN GENERATING POWER 150 W 1050 PLASTIC CASE	DUAL ACTION POLISHER 1050W, 150mm, 1400-4800 rpm, PRE-START, TOOL CASE W/ ACCESSORIES	• Power (Watt): 1050 • Voltage/Frequency(V/Hz): 230/50 • Pad Diameter(mm):150 • No-load speed(rpm):1400-4800 • Eccentricity (mm): 21 • Constant Speed & Sof Start • Ergonomically operating design with rubber grip • Weight (kg): 2.5 • Including: - 1pcs polishing pad - 1pcs wool plate spanner - 1pc wrench • Package Weight(kg): 4 • Package Dimensions(cm): 45.5x14.8x24.2	Redovna 280 Akcijnska 249
080794	KDS175	 KUMATSUGEN GENERATING POWER 225 W 750	DRYWALL SANDER WITH AUTO VACCUM SYSTEM AND DUST BAG 750W, 1000-1850rpm, 135-180cm	• Power:750W • Voltage/Frequency (V/Hz): 240/50 • Variable speed :1000-1850(min) • Diameter of sanding paper:225mm • Diameter of pad:210mm • Adjustable Height (With extension bar): 135-180mm • Led light on the pad • Soft grip • Auto-vacuum system • Flexiable Sanding head, adjust in degree 0-120 • Foldable: Easy to carrier • Big support handle *Change carbon brush easily • Weight (kg): 5,0 • Package Dimensions LxWxH (mm): 32,0x24,0x73,0 • Package Weight (kg): 6,8	Redovna 375 Akcijnska 355

081609	KSD285		CIRCULAR SAW 1200W, Ø185mm, 4800rpm, LASER 24T SAW	• Power (Watt): 1200 • Voltage (V): 230/50 • No-load speed (rpm): 4800 • Blade Size (mm): 185 • Max cutting capacity (mm): 65 - 90°, 41 - 45° • Weight (kg): 3.5 • Includes : 1pc 24T saw blade, Laser cutting guide, dust extraction system nozzle, 1p hex key, brushes • Package Weight (kg): 4.95 • Package Dimensions LxWxH (cm): 32.0x23.5x24.5	Redovna 180 Akcijska 149
080800	KEM114		ELECTRIC MIXER 1400W 2 SPEEDS, VARIABLE, SOFT START	* Power: 1400W * Voltage/Frequency: 230V, 50Hz * No load speed: I: 180-400(min), II: 300-700(min) * Number of gears: 2 * Tool fitting M14 * Soft Start + switch lock * Overload protection * Mixing paddle diameter: 140mm * Suitable Materials: plaster, Cement/ Mortar Tile Adhesive, Renderr • Weight (kg): 5,5 • Package Dimensions LxWxH (mm): 40,0x32,0x44,0 • Package Weight (kg): 6,65	Redovna 210 Akcijska 195
080817	KEM118		ELECTRIC MIXER 1800W, 2 SPEEDS	• Power: 1800W • Voltage/Frequency: 230V, 50Hz • No load speed: I: 180-400(min), II: 300-700(min) • Number of gears: 2 • Tool fitting M14 • Soft Start + switch lock • Overload protection • Protective type/protective class: Double insulation/II • Mixing paddle diameter: 140mm • Suitable Materials: Cement/ Mortar Tile Adhesive, Render • Weight (kg): 5,9 • Package Dimensions LxWxH (mm): 63,0x32,0x22,0 • Package Weight (kg): 7,30	Redovna 260 Akcijska 249
080787	NOVI MODEL KAS100		ELECTRIC AIRLESS PAINT SPRAYER 1010W 1,5Lt/min	• Power : 1010W • Max.volume flow : 1.5L/min • Nozzle : 415/515 • Max spraying pressure : 3000psi • Spray hose : 10m/6.3*12.2 • Weight (kg): 6,6 • Package Dimensions LxWxH (mm): 40,0x32,0x42,0 • Package Weight (kg): 10,0	Redovna 688 Akcijska 599

081418	KLT160		LASER DISTANCE METER 60m	• Measuring Range: • 0.05-60m(0.16-196ft) • Accuracy: $\pm 2\text{mm}(\pm 0.079\text{inch})$ • Measuring Unit: m,in,ft • Laser Type: Class II, 620~690nm, <1mW • Material: ABS &PET • Data Store/ Recall Function: 99 sets • Power Supply: 2 * 1.5V AAA Batteries • Product Dimensions (mm): 115x50x23 • Weight (kg): 0.08 • Package Weight (kg): 0.10 • Package Dimensions (L×W×H) (cm): 12.0x7.0x4.5	Redovna 119 Akcijska 109
081425	KLT180		SPIRIT CROSS LEVEL LASER GREEN LINE 30m	• Laser beam: 1H1V • Qty of laser diode: Two • Color of beam: Green • Laser wavelength: 520nm • Laser power(H/V): 30mw • Accuracy(H/V): 3mm at 10m • Auto-compensation Range : $4^{\circ} \pm 1^{\circ}$ • IP rating: IP54 • Laser class: Class 2 • Connector: 1/4" • Working temperature: -10~400C • Working range: 30m • Beam Emission Angle(H/V): 130° • Batteries: 4 x AA • Working time: 5 hours • Product Dimensions (mm): 90x85x55 • Weight (kg): 0.32 • Package Weight (kg): 0.48 • Package Dimensions (L×W×H) (cm): 12.0x7.0x4.5	Redovna 169
081432	KLT200		3D SELF LEVELING LASER LEVEL, GREEN LASER LEVELER ,12 LINES ,30m	• Laser Class: Class 2 • Laser Wavelength: 505~550 nm • Leveling Accuracy: $\pm 3 \text{ mm}/10 \text{ m}$ • Quantity of Laser Modules: 3 • Brightness Adjustment: Yes • Leveling/Compensation Range: $4^{\circ} \pm 1^{\circ}$ • Working Distance (Line): 30 m • Operating Time: 5~10 Hours • Features: With energy saving mode • Power Source: Type-C socket lithium battery • IP Rating: IP54 • Operating Temperature Range: -10°C – +50°C • Storage Temperature Range: -25°C – +70°C • Product Dimensions (mm): 99x96x73 • Weight (kg): 0.34 • Package Weight (kg): 1.2 • Package Dimensions (L×W×H) (cm): 22.0x13.0x20.0	Redovna 435 Akcijska 399

080732	KEH220	 KUMATSUGEN GENERATING POWER W 480	ELECTRIC HOIST 200Kg, 12m	• Power (Watt): 480 • Voltage/Frequency (V/Hz): 230/50 • Lifting capacity with Single Wire (kg/m): 100/12 • Lifting capacity with Double Wire (kg/m): 200/6 • Lifting speed with single/double wire/s (m/min): 10/5 • Wire length (m): 12 • Wire diameter (mm): 4 • Emergency switch • Thermal prevention • Protection rating (IP): 54 • Weight (kg): 9.5 • Including: Support set • Package weight (kg): 10.5 • Package Dimensions LxWxH (cm): 38.0x14.0x22.0	Redovna 290 Akcijska 269
080749	KEH260	 KUMATSUGEN GENERATING POWER W 1200	ELECTRIC HOIST 600Kg, 18m	• Power (Watt): 950 • Voltage/Frequency (V/Hz): 230/50 • Lifting capacity with Single Wire (kg/m): 200/12 • Lifting capacity with Double Wire (kg/m): 400/6 • Lifting speed with single/double wire/s (m/min): 10/5 • Wire length (m): 12 • Wire diameter (mm): 4 • Emergency switch • Thermal prevention • Protection rating (IP): 54 • Weight (kg): 13 • Including: Support set • Package weight (kg): 14.5 • Package Dimensions LxWxH (cm): 43.0x17.0x24.0	Redovna 399 Akcijska 379
080657	KAC024	 KUMATSUGEN GENERATING POWER HP 2 Lt 24	AIR COMPRESSOR MONOBLOCK 2hp/24L 188L/min	• Max Power (HP/kW): 2/1,5 • Voltage/Frequency (V/Hz): 230/50 • Tank Capacity (Lt): 24 • Air Delivery (lt/min): 188 • Pressure (bar/psi): 8/116 • Noise Level dB(A): 85 • Packing Dimensions (cm): 58.0x58.0x28.0 • Weight (kg): 20 • Packaging Weight (kg): 21	Redovna 239 Akcijska 219
080664	KAC050	 KUMATSUGEN GENERATING POWER HP 2 Lt 50	AIR COMPRESSOR MONOBLOCK 2hp/50L 188L/min	• Max Power (HP/kW): 2 / 1.5 • Voltage/Frequency (V/Hz): 230V / 50Hz • Tank Capacity (Lt): 50 • Air Flow(lt/min): 188 • Pressure (bar/psi): 8 / 115 • Noise Level dB(A): 85 • Package Dimensions (cm): 71.0x31.0x66.0 • Weight (kg): 25 • Packaging Weight (kg): 26	Redovna 339 Akcijska 315

080671	KAC100		AIR COMPRESSOR DIRECT DRIVEN, TWIN CYLINDER, OIL LUBRICATED, 3hp/100L 336L/min	• Max Power (HP/kW): 3/2.2 • Voltage/Frequency (V/Hz): 230/50 • Tank Capacity (Lt): 100 • Air Flow(lt/min): 336 • Pressure (bar/psi): 8 / 115 • Noise Level dB(A): 85 • Packing Dimensions LxWxH (mm): 86.0x41.0x73.0 • Weight (kg): 52 • Packaging Weight (kg): 55	Redovna 749 Akcijska 699
080831	KWM145		S-MINI INVERTER WELDER 140A/45%, DIGITAL SCREEN, INCLUDES MASK & ACCESSORIES	• Output Current: 140A • Voltage/Frequency: 230V/50Hz • Rated Input Capacity (Kva): 4 • Rated Duty Cycle: 45% • Functions: Anti Stick, Arc Force And Hot Start • Digital Screen • Includes Accessories • Weight: 1,9Kg	Redovna 219 Akcijska 189
081616	KVC140		WET & DRY VACUUM CLEANER 1400W, 30Lt WITH POWER TOOL PLUG 2000W WITH SYNCHRONIZATION	• Power (W): 1400 • Voltage / Frequency (V/Hz): 230 V / 50 Hz • Vacuum (kPa): 18 • Blower Function: Yes • Cord Length (m): 4.5 • Capacity (L): 30 • Power Tool Plug with Synchronization: 2000 W • Hose Diameter (mm): 32 • Noise Level (dB): 80 • Includes: 1x Metal Tube 1x 1.5 m Soft Hose 1x Crevice Nozzle 1x Long Square Brush 1x HEPA Filter 1x Sponge Filter 1x Dust Bag - Package Weight (kg): 9.2 - Package Dimensions (cm): 37.0x37.0x58.0	Redovna 257
080688	KPW150		HIGH PRESSURE WASHER 2000W, 150Bar, 450L/h	• Power (Watt) : 2000 • Voltage/Frequency (V/Hz) : 230/50 • Pressure max. (bar) : 150 • Flow max. (Lt/h) : 450 • Engine Type : Brushed • Hose Length (m) : 5 • Water Temperature (?) : ~40 • Pump Type : Brassed • Head Pump : Aluminum • Austostop • Long handle and wheels • Cable (m) : 5 • Weight (kg) : 8 • Includes: 1x hose, 1x water inlet screw ,1x soap bottle , 1x Patio cleaner • Packaging Weight (kg) : 9.4 • Packaging Dimensions (cm) : 39.0x34.0x45.0	Redovna 320 Akcijska 299

081180	KPW180		HIGH PRESSURE WASHER 2400W, 180BAR, 480L/h	• Power (Watt) : 2400 • Voltage/Frequency (V/Hz) : 230/50 • Pressure max. (bar) : 180 • Flow max. (Lt/h) : 480 • Engine Type : Brushed • Hose Length (m) : 5 • Water Temperature (C): ~40 • Pump Type : Brassed • Head Pump : Aluminum • Austostop • Long handle and wheels • Cable (m) : 5 • Weight (kg) : 9.0 • Includes: 1x hose, 1x water inlet screw ,1x soap bottle , 1x Patio cleaner , 1x cleaning brush • Packaging Weight (kg) : 11.5 • Packaging Dimensions (cm) : 49.0x34.0x51.0	Redovna 419 Akcijska 399
084501	NOVI MODEL KHT100		Socket wrenches 1/4" 46 pieces	• CR-V • Includes: -13pcs-1/4" Drive Sockets: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm -21 pcs-1/4" Drive bit sockets - SL:,5.5,7 - PH:1,2,3 - PZ:1,2,3 - HEX : 3,4,5,6,7,8 - Torx :10,15,20,25,30,40 -3 pcs-Hex Key Wrenches: 1.5,2,2.5mm -1pc-1/4" Drive Universal joint -2pcs-1/4" Drive Extension bars: 2"& 4" -1pc-1/4" Drive Flexible Extension: 6" -1 pc-1/4" Drive Sliding T Bar -1 pc-1/4" Drive Quick Ratchet Handle -1pc-1/4" Drive Spinner Handle:6" -1 pc-1/4" Drive Bit Adaptor	Redovna 65 Akcijska 45
084518	NOVI MODEL KHT105		Socket wrenches 1/2" and 1/4" with forks and extension keys 73 pieces.	• CR-V • Includes: -13pcs-1/4" Drive Sockets: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm -21 pcs-1/4" Drive bit sockets - SL:,5.5,7 - PH:1,2,3 - PZ:1,2,3 - HEX : 3,4,5,6,7,8 - Torx :10,15,20,25,30,40 -3 pcs-Hex Key Wrenches: 1.5,2,2.5mm -1pc-1/4" Drive Universal joint -2pcs-1/4" Drive Extension bars: 2"& 4" -1pc-1/4" Drive Flexible Extension: 6" -1 pc-1/4" Drive Sliding T Bar -1 pc-1/4" Drive Quick Ratchet Handle -1pc-1/4" Drive Spinner Handle:6" -1 pc-1/4" Drive Bit Adaptor	Redovna 120 Akcijska 99

084525	NOVI MODEL KHT110	 KUMATSUGEN GENERATING POWER 171 PCS SOCKET SET 1/2", 1/4" & 3/8" WRENCH WITH EXTENSION Cr-V	Socket wrenches 1/2", 1/4" and 3/8" with fork and extension wrench, 171 pieces.	•Crv, Chrome Plated Finish •Includes: -13pcs 1/4"Dr.sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm -5pcs 1/4"Dr.torx Sockets: E4,e5,e6,e7,e8 -7pcs 1/4"Dr.deep Sockets:4,5,6,7,8,9,10mm -2pcs 1/4"Dr.extension Bars:2" & 4" -1pc 1/4"Dr.sliding T Bar -1pc 1/4"Dr.spinner Handle: 6" -30pcs 1/4"Dr.bit Sockets:h2,3,4,5,6 Fd4,5.5,7 Ph1,2,3 Pz1,2,3 T8,9,10,15,20,25,27,30 Tt8,9,10,15,20,25,27,30 -10pcs 3/8"Dr.sockets:10,11,12,13,14,15,16,17,18,19mm -6pcs 3/8"Dr.torx Sockets:e10,e11,e12,e14,e16,e18, -6pcs 3/8"Dr.deep Sockets:10,11,12,13,14,15mm -1pc 3/8"Dr.spark Plug Socket:21mm -1pc 3/8"Dr.extension Bar: 6" -17pcs 1/2"Dr.sockets:10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm -2pcs 1/2"Dr.torx Sockets:e20,e24 •Crv, Chrome Plated Finish •Includes: -13pcs 1/4"Dr.sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm	Redovna 240 Akcijska 199
084532	NOVI MODEL KHT115	 KUMATSUGEN GENERATING POWER 215 PCS SOCKET SET 1/2", 1/4" & 3/8" WRENCH WITH EXTENSION Cr-V	SOCKET SET 215PCS 1/2", 1/4" and 3/8" socket wrench set with forks and extension wrenches, 215 pieces	•30PCS-1/4"DR.BIT SOCKETS: PH0,1,2 PZ0,1,2 FD4,5.5,6.5,7 H3,4,5,6 T8,9,10,15,20,25,27,30 TT8,9,10,15,20,25,27,30 10PCS- 3/8"DR.SOCKETS:10,11,12,13,14,15,16,17,18,19MM,28L 6PCS-3/8"DR.TORX SOCKET:E10,E11,E12,E14,E16,E18 6PCS-3/8"DR.DEEP SOCKET:10,11,12,13,14,15MM 1PC-3/8"DR.SPARK PLUG SOCKET:21MM 1PC-3/8"DR.BIT HOLDER 1PC-3/8"DR.UNIVERSAL JOINT 1PC-3/8"DR.EXTENSION BAR: 5" 1PC-3/8"DR.QUICK RATCHET HANDLE 14PCS- 1/2"DR.SOCKETS:13,14,15,16,17,18,19,20,21,22,24,27,30,32MM 3PCS-1/2"DR.TORX SOCKET:E20,E22,E24 5PCS-1/2"DR.DEEP SOCKET:16,17,18,19,22MM,77L 2PCS-1/2"DR.EXTENSION BAR:5" & 10" 1PC-1/2"DR.3-WAY ADAPTOR 1PC-1/2"DR.UNIVERSAL JOINT 1PC-1/2"DR.BIT HOLDER 2PCS-1/2"DR.SPARK PLUG SOCKET:16MM&21MM 1PC-1/2"DR.QUICK RATCHET HANDLE 30PCS-BITS(8MM):H5.5,6.5,7,8,10,12 SL6,6.5,8 PH3,4 PZ3,4 T27,30,35,40,45,50 TT27 30 35 40 45 50 M5 6 8 10	Redovna 289 Akcijska 249

081654	KBC520		GASOLINE BRUSH CUTTER 52CC 2HP	• Engine Displacement (cc) / Type: 52 / Two-Stroke Air-cooled Engine • Max Power (Hp): 2.0 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.4 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 7.6 • Including: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank • Package Weight (kg): 9.23 • Package Dimensions (cm): 30.0x23.0x33.0 • Package Weight 2 (kg): 8.4 • Package Dimensions 2 (cm): 165.0x10.0x11.0	Redovna 279 Akcijska 259
081739	KBC620		GASOLINE BRUSH CUTTER 62CC, 3HP	• Engine Displacement (cc) / Type: 62 / Two-Stroke Air-cooled Engine • Max Power (Hp): 3.0 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.6 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 7.6 • Including: Double harness, 3T metal disc, aluminium trimmer head with 4 exits, Service tools, Fuel tank • Package Weight (kg): 5.6 • Package Dimensions (cm): 33.0x29.0x26.0 • Package Weight 2 (kg): 4.4 • Package Dimensions 2 (cm): 165.0x11.0x12.0	Redovna 370 Akcijska 349
081753	KBC720		GASOLINE BRUSH CUTTER 72CC, 3,8HP, 28mm SHAFT	• Engine Displacement (cc) / Type: 72 / Two-Stroke Air-cooled Engine • Max Power (Hp): 3.8 • Easy Start • Idle Speed (rpm): 3200 • Fuel Type: Gasoline • Fuel Tank (ml): 1200 • Shaft Diameter (mm): 28 • Blade Diameter / Thickness (mm): 255 / 1.6 • Gear Assy Thread: M10x1.25 M • Net Weight (kg): 8.6 • Including: Reinforced double harness, 40T metal disc, aluminium trimmer head with 4 exits, Service tools, Fuel tank • Package Weight (kg): 12.5 • Package Dimensions (cm): 182.0x30.0x29.0	Redovna 420 Akcijska 399

080824	KWC300		GARDEN STEEL WAGON CART 300Kg , L960xW520xH250	• Load Capacity(Kg): 300 • Cart Dimension(mm) : 960x510x250 • Total Size(mm):1910x510x550 • Wheel Size:10"-3.50-4" • Weight(kg) : 15 • - Package Dimension(cm): 104x54x14 • - Package Wheight(Kg): 17,4	Redovna 315 Akcijska 299
081357	KWP120		DIRTY WATER SUBMERSIBLE PUMP 900W, 11m, 24000 L/H	• Power (W): 900 • Voltage/Frequency (V/Hz): 230/50 • Maximum Flow Rate (Lt/h): 24.000 • Maximum Head (m): 11 • Maximum Pump Submersion (m): 7 • Minimum starting water level (mm) : 84 • Outlet (Pipe Diameter): G1-1/2" • Maximum Particle Size (mm): 38 • Water Temperature (°C): 35 • Cable Length (m): 10 • Foldable Handle • Pump Dimensions (cm): 17.0x16.0x36 • Package Dimensions (cm): 22.0x19.0x38.0 • Weight (kg): 7.1 • Package Weight (kg): 7.4	Redovna 210 Akcijska 189
081371	KWP130		DIRTY WATER SUBMERSIBLE PUMP , ADJUSTABLE HEIGHT FLOATER, WITH TIMER, 750W, 10m, 19000 L/H	• Power (W): 750 • Voltage/Frequency (V/Hz): 230/50 • Maximum Flow Rate (Lt/h): 19.000 • Maximum Head (m): 10 • Maximum Pump Submersion (m): 7 • Minimum Starting Water Level (mm): 10 • Outlet (Pipe Diameter): G1-1/2" • Maximum Particle Size (mm): 35 • Water Temperature (°C): 35 • Cable Length (m): 10 • Features: Timer • Pump Dimensions (cm): 21.0x21.0x32.5 • Package Dimensions (cm): 22.0.18.0x35.0 • Weight (kg): 6,75 • Package Weight (kg): 7.0a	Redovna 270 Akcijska 239
003656	GB3000		GASOLINE GENERATOR 3.5 KVA, AVR, 6.5HP ENGINE	•Displacement: 208cc / 7HP •Max Power(kVA):3.5 •Rated Power(kVA):3.3 •Engine Type: Four-stroke Air Cooled •Voltage:230 AC , DC 12V •Sockets:2x16A , 1x 12VDC •Fuel Tank(Lt):15 •Oil Capacity(Lt):0.6 •Noise Level(dB(A)): 68 •Dimensions(cm):59x43x45 •Weight(Kg):39	Redovna 780 Akcijska 749